

VISTA

UPPAbaby
www.uppababy.com

Table of Contents

ENG	page 1	General Information and Safety
	page 3	Parts List
	page 4	Stroller
	page 8	Bassinet
	page 11	Limited Warranty

ES Tabla de contenido

página 1	Información general y seguridad
página 3	Lista de piezas
página 4	Cochechito
página 8	Moisés
página 11	Garantía limitada

FR Table des matières

page 1	Renseignements généraux et sécurité
page 3	Liste de pièces
page 4	Poussette
page 8	Berceau
page 11	Garantie limitée

General Information and Safety



WARNING: AVOID SERIOUS INJURY FROM FALLING OR SLIDING OUT. ALWAYS USE THE SEAT HARNESS. IMPORTANT: KEEP THESE INSTRUCTIONS FOR FUTURE REFERENCE.

STROLLER WARNINGS

- Please read this manual carefully before using this stroller, failure to follow instructions properly may result in serious injury to your child.
- This stroller is suitable for children from infancy to 3 years old.
- Maximum child weight 40 lbs (18.1 kg).
- Maximum child height 40" (101 cm).
- Unit may become unstable if the manufacturer's recommended load is exceeded or if a parcel bag or rack other than that recommended by the manufacturer is used.
- This stroller is intended to be used with one child only.
- Never leave your child unsupervised in the stroller.
- The brake must be locked, while taking the child in or out of the stroller.
- Bumper bar must be attached at all times.
- Canopy must be attached at all times
- The child should be clear of moving parts while making adjustments, damage to fingers or extremities may occur when opening or closing the stroller frame.
- Maximum weight for the storage bag is 5 lbs.
- Never leave child in the stroller while ascending or descending stairs, or using an escalator.
- Check to be sure the seat is securely locked to the stroller frame before each use.
- Do not make any alterations or modifications to the stroller with products not supplied by the manufacturer as this may cause instability or structural damage not covered under warranty.

BASSINET WARNINGS

Failure to follow these warnings and instructions could result in serious injury or death.

- NEVER leave child unattended.
- Audible "click" must be heard in order to determine that each lock is in the proper position. To ensure proper locking engagement, check to see that the bassinet/carry handle cannot be disengaged from the stroller without unlocking the device.

SUFFOCATION HAZARD:

- Infants can suffocate:
 - Infants can suffocate in gaps between an extra pad and side of bassinet or on soft bedding.

NEVER add a mattress, pillow, comforter, or padding. Use ONLY the pad provided by the manufacturer.

- Infant carrier can roll over on soft surfaces and suffocate child.
- Never place carrier on beds, sofas, or other soft surfaces.

To reduce the risk of SIDS Pediatricians recommend healthy infants be placed on their backs to sleep, unless otherwise advised by Physician on Product.

Continued



WARNING: AVOID SERIOUS INJURY FROM FALLING OR SLIDING OUT. ALWAYS USE THE SEAT HARNESS. IMPORTANT: KEEP THESE INSTRUCTIONS FOR FUTURE REFERENCE.

BASSINET WARNINGS CONTINUED

FALL HAZARD:

- To prevent falls, do not use this product when the infant begins to push up on hands and knees or has reached manufacturer's recommended maximum weight, whichever comes first.
- Child's movement can slide carrier. NEVER place carrier near edges of counter tops, tables, or other elevated surfaces.
- NEVER use the carrier as a means to transport an infant in a motor vehicle.
- To avoid serious injury or death to your child, do not use this bassinet as a car bed.
- Use of bassinet cover is recommended for added safety of your child.
- The bassinet is suitable only for babies not yet able to sit up on their own or unable to support themselves on hands and knees.
- Maximum child weight 20 lbs (9 kg).
- Maximum child length 25" (63 cm).
- The bassinet should only be placed on a dry, firm, horizontal surface.
- Do not permit other children to play unsupervised next to the bassinet.
- Open flames and other sources of heat, such as electric heaters, gas ovens etc., in the immediate vicinity of the bassinet are dangerous and should be avoided.
- This bassinet is only designed to be used with the VISTA stroller frame.
- The bassinet is not intended as an infant carrier. The handle is for use ONLY when moving the bassinet while empty.

GENERAL MAINTENANCE

CLEANING

- Clean frame with a damp cloth and a mild detergent and dry thoroughly. Do not use abrasives.
- If the stroller chassis parts have been exposed to salt water we recommend that they be rinsed with fresh (tap) water as soon as possible to avoid corrosion.
- All fabrics are removable except the outer bassinet base. For removable fabrics, hand or machine-wash in cold water, with mild detergent on delicate cycle. Air dry (no machine) before re-use.
- The bassinet base fabric may be sponged lightly using a damp cloth and a mild detergent.

MAINTENANCE AND REPAIR

- This stroller requires regular user maintenance. Regularly check all connecting hardware (rivets, screws, etc.) for tightness and security.
- Inspect all brakes, wheels, and tires and replace or repair as necessary. Check all safety devices, locks and harnesses, for correct and secure operation. Never continue to use a product that is structurally unsound.
- We recommend a service check every 12 months.
- If wheels squeak, lubricate sparingly with a Teflon or silicone based lubricant. Do NOT use oil or grease based products, as this may attract dirt, which will clog movement.
- Only UPPAbaby replacement parts should be used. It may be unsafe to use parts supplied by another manufacturer.



Parts List

Stroller

- 1) stroller frame
- 2) seat
- 3) rear wheels
- 4) front wheels
- 5) bumper bar
- 6) canopy

Bassinet

- 1) base and canopy
- 2) mattress
- 3) cover

Stroller

1. Unfolding the Stroller

Pull the handle upward until the frame locks as shown (figure 1).



2. Wheel Installation

Slide each rear wheel on to the axle until it locks (figure 2a).


To remove, pull the lever downward and slide wheel off (figure 2b).



2. Wheel Installation Continued

Insert the front wheels, by sliding each front wheel into the shaft until it locks (figure 2c).

To remove the front wheels, turn the plastic knob in the direction shown (figure 2d) and slide wheel off.



3. Swiveling / Locking System for the Front Wheels

Slide the button down to lock (figure 3).

Slide button up to allow wheels to swivel (figure 3).



4. Setting the Brake

Push down to lock, and lift up to release (figure 4).

5. Attaching the Seat

Lower the seat onto the frame and press down until it clicks into place (figure 5a). Pull up on seat to be sure it is locked to the frame.

To remove seat, push down both security buttons (figure 5b) and lift the seat from the frame.



6. Attaching the Bumper Bar

WARNING: Bumper bar must be attached at all times.


Slide metal post into slot on both sides.

To remove the bumper bar from the stroller press button at bottom of plastic housing (figure 6) and lift bumper bar.



7. Belt Locking and Unlocking

Slide both belt ends (a) together until it locks (figure 7).
To open, depress ends at center (b) and pull apart.



8. Tilting the Seat

Pull the lever near the top and tilt seat to desired position (figure 8). Release the lever to lock in one of three preset positions.




9. Adjusting the Handle Height

Push the button at the top and slide handle to desired position (figure 9).



10. Adjusting the Legrest


Push both buttons (left and right side of the legrest) and rotate legrest to the desired position (figure 10).



11. Folding the Stroller Frame

NOTE: When folding frame with seat attached, seat must be in forward facing and upright position (see figures 11a & 11b).

- Push button in with your left thumb (figure 11c).
- Squeeze the handle height adjustment button with your right hand (figure 11c).
- Slide the handle down quickly.
- The frame will open at the middle and begin to collapse.
- Finish collapsing, allowing front wheels to nest all the way into the frame (figure 11d).



12. Attaching the Canopy


Snap plastic canopy tabs into slots on sides of seat just above the attachment mechanism. Push canopy bars forward. Pull canopy fabric back and attach Velcro to top and sides of the seat. Extend canopy as needed.



Bassinet

1. Unfolding the Bassinet

Lift the sides of the bassinet and push both steel braces firmly into their respective sockets (figure 1). Make sure that both braces are properly locked in place.



2. Liner Installation

Place the liner in the bassinet. Pull one end of the cover over the bottom of the bassinet, then stretch the liner evenly over the sides (figure 2a).

Fasten the liner to the sides with the adhesive strips (figure 2b).



3. Mattress Installation

Place the mattress in the bassinet (figure 3).

The mattress is reversible. Place the soft side up for colder weather and for warmer weather turn the mesh side up.

The foam mattress is surrounded by a water-resistant lining.



4. Attaching the Bassinet Cover

Feed the closed end of the cover over the bottom of the bassinet, and pull the cover toward the top of the bassinet.

Fasten the ends of the bassinet cover to the outside of the canopy with the adhesive strips (figure 4.)



5. Attach the Bassinet to the Stroller

Insert the posts on the sides of the bassinet into the slots on the frame. Push until you hear it "click" on both sides (figure 5).

Check carefully that the bassinet is attached to the frame properly.



To remove the bassinet, rotate the small red safety bar and pull the rear lever completely upward. Then lift the bassinet frame using the handle (figure 5a).



Limited Warranty

Your UPPAbaby stroller is warranted to be free from any manufacturing defects for a period of 1 year from the date of purchase under normal use and in compliance with the operating instructions. This warranty extends only to the original retail purchaser and is only valid when supplied with proof of purchase. Please retain proof of purchase with this Limited Warranty.

Please contact us at 800 760-2060 or service@uppababy.com if you have any questions regarding warranty.

Please note that a problem will not be covered by this warranty if:

- The problem is caused by misuse or poor maintenance. Please refer to this instruction for guidance on how to maintain your stroller.
- Repairs are carried out by a third party.
- Damage is due to general wear and tear which is the result of everyday use.
- Damage is caused by improper installation.
- Damage is corrosion caused by lack of service.
- Damage is caused by sun intensity, sweat, detergents, or frequent washings.
- The stroller is damaged as a result of an accident.
- UPPAbaby is not satisfied that the stated warranty terms and conditions have been met.

Attach the Rain Shield and Sunshades



Proper installation
of rain shield.



Proper installation
of sunshade.



Proper installation
of bassinet sunshade.

UPPAbaby

www.uppababy.com



1-800-760-2060
UPPAbaby
371 Liberty Street
Rockland, MA 02370

Model 0027
Version 1.2